

# Johannesburg Stock Exchange

---

## Post-trade system

### JSE Guidance Note

Volume PT201 – Guide to JSE Post-trade Services Conformance

<b>Version</b>	2.00
<b>Release Date</b>	16 January 2019
<b>Number of Pages</b>	43 (Including Cover Page)

# 1 DOCUMENT CONTROL

## 1.1 Table of Contents

<b>1</b>	<b>DOCUMENT CONTROL</b> .....	<b>2</b>
1.1	Table of Contents .....	2
1.2	Document Information .....	4
1.3	Revision History .....	4
1.4	References .....	4
1.5	Contact Details .....	5
<b>2</b>	<b>OVERVIEW</b> .....	<b>6</b>
<b>3</b>	<b>SERVICE OVERVIEW</b> .....	<b>7</b>
3.1	Conformance Test Environment.....	7
3.2	Mandatory Testing for Post-trade Functions Interfaces.....	8
3.3	Reference Data for Conformance tests .....	8
3.4	High Volume Testing .....	8
3.5	Conformance Test Analysts (CTAs).....	9
3.6	Conformance Test Process .....	9
3.7	Conformance Test Report.....	10
3.8	Conformance Policy .....	10
<b>4</b>	<b>CONFORMANCE TEST SCENARIOS</b> .....	<b>10</b>
4.1	High Level Conformance Test.....	10
4.2	Admin Conformance .....	12
4.2.1	ADM2 001 Admin Functions – Password Maintenance .....	12
4.2.2	ADM1 001 Admin – Logon.....	12
4.2.3	ADM1 002 Admin – Logout.....	12
4.3	Information Subscription Conformance .....	13
4.3.1	IS1 001 – IS1 006 Information Subscriptions – Request ONLY Current Values	13
4.3.2	IS1 007 – IS1 012 Information Subscriptions – Request ONLY Future Values	14
4.3.3	IS2 001 Manage Information Subscriptions – Remove Subscription .....	15
4.3.4	IS2 003 Manage Information Subscriptions –Current subscription with future updates	15
4.3.5	RS1 001 Replay Service – Request NO Future Updates .....	16
4.3.6	RS1 002 Replay Service – Specific events .....	16
4.3.7	RS1 003 Replay Service – Specific events .....	17
4.4	Reference Data Maintenance – Member Maintained.....	18
4.4.1	MM1 001 Ref data Maintenance – Add Member Client (Resident).....	18
4.4.2	MM1 002 Ref data Maintenance – Add Member Client (Non-Resident) ..	18
4.4.3	MM1 003 - Reference Data Maintenance – Update Member Client .....	19
4.4.4	MM1 004 - Reference Data Maintenance – Disable Member Client.....	20
4.4.5	MM1 005 - Reference Data Maintenance – Add Cash Account .....	21
4.4.6	MM1 006 - Reference Data Maintenance – Update Cash Account .....	21
4.4.7	MM1 007 & MM1 008 - Reference Data Maintenance – Add Sub Account (Member & Client) .....	21
4.4.8	MM1 009 - Reference Data Maintenance – Disable Position Account.....	22
4.4.9	MM1 010 - Reference Data Maintenance – Enable Position Account .....	22
4.5	Risk Parameter Maintenance – Member Maintained .....	23
4.5.1	RP1 001 Risk Parameter Maintenance – Set Risk Limit for a Trading Member	23
4.5.2	RP1 002 Risk Parameter Maintenance – Set Risk Limit for a Client .....	23
4.5.3	RP1 003 Risk Parameter Maintenance – Set Additional Margin Percentage for a Trading Member.....	23
4.5.4	RP1 004 Risk Parameter Maintenance – Set Additional Margin Percentage for a Client	24
4.5.5	RP1 005 Risk Parameter Maintenance – Set Minimum Cash Limit.....	24
4.6	Trade Management .....	25
4.6.1	TM1 001 Trade Management – Receive confirmation of Trade Cancellation (OFF screen)	25
4.7	Deal & Position Management.....	25
4.7.1	PT1 001 Deal Management – Accumulate Trades .....	25
4.7.2	PT1 002 Deal Management – Modify Trade Sub Account .....	25
4.7.3	PT1 003 Deal Management – Assign Trades .....	26
4.7.4	PT1 004 Deal Management – Approve Give Up.....	26

4.7.5	PT1 005 Deal Management – Allocate Trade from House Main to Client Main	26
4.7.6	PT1 006 Deal Management – Correct Principal.....	27
4.7.7	PT1 007 Deal Management – Allocate Trade from House Sub to Client Main	27
4.7.8	PT1 008 Deal Management – Correct Allocation Error .....	28
4.7.9	PT1 009 Deal Management – Tripartite Allocation .....	28
4.7.10	PT1 010 Deal Management – Cancel Give Up.....	28
4.7.11	PT1 011 Deal Management – Reject Give Up.....	29
4.8	Position Management .....	29
4.8.1	PT1 012 Position Management – Modify Position Sub Account.....	29
4.8.2	PT1 013 Position Management – Exercise Option Position .....	30
4.8.3	PT1 014 Position Management – Abandon Option Position.....	30
4.9	Commission Management .....	31
4.9.1	PT2 001 Commission Management – Submit a commission as initiator of an Assign	31
4.9.2	PT2 002 Commission Management – Submit a commission as initiator of a Tripartite	31
4.9.3	PT2 003 Commission Management – Submit a commission when executing a trade (OFF screen) .....	32
4.9.4	PT2 004 Commission Management – Submit a commission when executing a trade (ON screen) .....	33
4.9.5	PT2 005 Commission Management – Cancel Commission .....	33
4.9.6	PT2 006 Commission Management – Reject Commission .....	34
4.9.7	PT2 007 Commission Management – Submit a commission as initiator of an Allocation	35
4.9.8	PT2 008 Commission Management – Submit a commission as initiator of an Allocation Correction.....	35
4.9.9	PT2 009 Commission Management – Commission charged to counterparty for reported trade.....	36
4.9.10	PT2 010 Commission Management –Adhoc Commission .....	36
4.10	Collateral Management.....	37
4.10.1	PT3 001 Collateral Management – Retrieve Allowed ZAR.....	37
4.10.2	PT3 002 Collateral Management – Retrieve Allowed ZAR.....	38
4.10.3	PT3 003 Collateral Management – Retrieve withdrawals (Intraday).....	38
4.10.4	PT3 004 Collateral Management – Confirm/Reject one or more withdrawals (Intraday)	39
4.10.5	PT3 005 Collateral Management – Confirm/Reject ALL withdrawals (Intraday)	39
4.11	Clearing Member Balancing.....	39
4.11.1	PT4 001 CM Balancing – CM1 – Confirm Balance (End of Day).....	39
4.11.2	PT4 002 CM Balancing – CM2 – Confirm Balance (End of Day).....	40
4.12	Settlement Management.....	40
4.12.1	PT5 001 Settlement Management – Retrieve Settlement Instructions (ZAR/FX)	40
Error Handling.....		41
4.12.2	EH1 001 Logon – Suspension/Un-Suspension.....	41
4.12.3	EH1 003 Allocate to invalid account .....	41
4.12.4	EH1 004 Incorrect System State .....	42
4.13	Optional Test Cases .....	42
4.13.1	PT1 015 Deal Management – Query Trades .....	42
4.13.2	RP1 006 Risk Management – Get Risk Array.....	43

## 1.2 Document Information

---

<b>Drafted By</b>	JSE Post-trade Services
<b>Status</b>	Final
<b>Version</b>	2.00
<b>Release Date</b>	16 January 2019

## 1.3 Revision History

---

<b>Date</b>	<b>Version</b>	<b>Sections</b>	<b>Description</b>
14 Mar 2017	1.00	All	Initial Draft
21 December 2018	2.00	Section 4.3 Information Subscription Conformance.  Section 4.4 Reference Data Maintenance.  Section 4.5 Risk Parameter Maintenance  Section 4.6 Trade Management.  Section 4.9 Commission Management.	<ul style="list-style-type: none"><li>- Updated information subscriptions scenarios</li><li>- Updated Reference Data Maintenance scenarios.</li><li>- Added additional scenarios for Trade cancellation and Commission Management.</li></ul>

## 1.4 References

---

[Volume PT01 – Post-trade EMAPI Common](#)

## 1.5 Contact Details

---

<p><b>JSE Limited</b> Post-trade Services One Exchange Square Gwen Lane, Sandown South Africa Tel: +27 11 520 7000</p> <p><a href="http://www.jse.co.za">www.jse.co.za</a></p>	<p><b>Client Services Centre</b> Email: <a href="mailto:CustomerSupport@jse.co.za">CustomerSupport@jse.co.za</a> Tel: +27 11 520 7777</p> <p><a href="https://www.jse.co.za/services/itac">https://www.jse.co.za/services/itac</a></p>
<p><b>Clearing specifications disclaimer</b> Disclaimer: All rights in this document vests in the JSE Limited (“JSE”) and Cinnober Financial Technology AB (publ) (“Cinnober”). Please note that this document contains confidential and sensitive information of the JSE and Cinnober and as such should be treated as strictly confidential and proprietary and with the same degree of care with which you protect your own confidential information of like importance. This document must only be used by you for the purpose for which it is disclosed. Neither this document nor its contents may be disclosed to a third party, nor may it be copied, without the JSE's prior written consent. The JSE endeavors to ensure that the information in this document is correct and complete but do not, whether expressly, tacitly or implicitly, represent, warrant or in any way guarantee the accuracy or completeness of the information. The JSE, its officers and/or employees accept no liability for (or in respect of) any direct, indirect, incidental or consequential loss or damage of any kind or nature, howsoever arising, from the use of, or reliance on, this information.</p>	

## 2 OVERVIEW

The purpose of this document is to provide clients with all the essential and detailed information needed to get the most out of the JSE Conformance Test Service introduced as part of the Post-trade solution.

The JSE Conformance Test Service allows clients to prove the interface between their systems and the JSE's Post-trade system. The tests cover a range of functional areas and ultimately prove client systems can interact and behave as specified with the core architecture. Some of the events tested are frequently experienced during the business day, while others are less frequently experienced.

The following documentation should be read in conjunction to this volume.


- Volume PT00 – Post-trade Services Overview
- Volume PT01 – Post-trade EMAPI Common
- Volume PT02 – Post-trade EMAPI Clearing
- Volume PT03 – Post-trade Margining Methodology Specification (JSPAN)

### 3 SERVICE OVERVIEW

Clients are required to conform all software applications that they wish to connect to the production environment. The self-conformance policy has been introduced in order to facilitate the conformance process.

All software applications that will directly connect to the new JSE Post-trade system must be conformance tested.

The diagram below provides an overview of the Post-trade (Deal Management and Clearing) environment.



#### 3.1 Conformance Test Environment

Conformance testing will be conducted in the Customer Testing Service (CTS) environment. Prior to the commencement of the conformance test service, the JSE completes a rigorous readiness assessment on its central systems and networks to ensure that customer testing is conducted in a stable environment. Clients are encouraged to complete a similar self-assessment so that they can optimise their allocated test sessions, and do not disrupt testing for other clients. The JSE will verify that a client is ready for the conformance test service during the technical readiness test to CTS, which is mandatory for all participating clients.

## 3.2 Mandatory Testing for Post-trade Functions Interfaces

Clients must test against each of the Functions they wish to access in production. For further detail on functions for Trading Members, Clearing Members & Info subscribers please refer to the below document:

- ITaC Client-facing Functions and Interfaces on the ITaC web page ([Integrated Trading and Clearing \(ITAC\)](#)) under the “Post-trade Documentation” section.

Conformance testing of all messages related to the functions that a Client solution will cater for are mandatory, with the following exceptions:

- Deal & Position Management Function: [QueryTradesReq](#) message
- Risk Management Function: [GetRiskArrayReq](#) message

Clients may request exemption from messages they feel are not relevant to their offering, however this must be formally agreed to by the JSE and noted on their Conformance Test Report (for more detail please refer to section 3.7 of this document).

## 3.3 Reference Data for Conformance tests

For conformance, clients must use the Reference Data FTP flat-file as provided for the CTS environment.

For the CTS environment, the Reference Data FTP flat-files will be available for download via the JSE Information Delivery Portal (IDP). Clients must test against the JSE IDP service prior to go live.

Refer to the below documents for more information on the [ITaC webpage](#) for more information on the:

- Equity Derivatives Non-Live Data Products Specifications
- Currency Derivatives Non-Live Data Products Specifications
- Equity End of Day Data Service – User Manual
- 09D – Reference Data Management

## 3.4 High Volume Testing

The JSE is investigating the possibility of offering the following to clients:

- The provision of a High Volume Information service/test slot window to facilitate the testing of a client’s applications to cope with a large increase in the volume and output rate at which market data is published.

For Post-trade this would refer to the pricing updates that will be received Intra-day and EOD, as part of these High Volume Tests.



### 3.5 Conformance Test Analysts (CTAs)

The JSE will assign a Customer Test Analyst (CTA) to assist clients with specific parts of their conformance tests and to produce the test reports at the end of each test.

Clients will be able to perform the majority of their testing independently and only contact the CTA when they are satisfied with their test run results and require CTA involvement to perform either a support function and/or run the end of test report.

CTAs will be able to perform the following support functions:

1. Collateral Management
2. CTA will run the end of Conformance test reports

### 3.6 Conformance Test Process

The conformance test process will be as follows:

1. Clients must complete and submit the Conformance Test Report prior to conformance. This report outlines the functions supported by the software application being tested and will confirm the scope of the conformance test required.
2. Once the Conformance Test Report has been agreed with the JSE, clients can book a conformance slot.
3. Clients must book a conformance slot with the JSE Client Services Centre team.
4. Conformance test slots will be available weekly, on Tuesdays, Wednesdays and Thursdays that are business days for the JSE. I.e. should a public holiday occur on either of these days, conformance slots will not be available.
5. A booking is required to ensure a CTA is assigned to the conformance test. Clients must perform the self-conformance tests independently and only contact the CTA when they are satisfied with their test run results and require CTA involvement to perform either a support function and/or run the end of test report.
6. Clients **cannot** book more than one conformance slot per week.
7. Clients must complete all self-conformance tests within one JSE business day.
8. The conformance tests that require CTA support must be performed within JSE business hours, i.e. 07h00 – 19h00 SAST. In the event where these cannot be conducted within the same business day, the CTA will perform these with the client on the business day following the booked test slot.
9. Conformance test results will only be made available 24-48 hours after successful processing of the end of test report.
10. Clients who fail a conformance test will need to redo the full conformance test.
11. Clients must remain connected / logged in to the service throughout the conformance tests and should only disconnect if instructed to do so as part of the test. Any deviations from the test activities will result in a conformance failure.

### 3.7 Conformance Test Report

The conformance test report is an electronic document that can be completed by the client and returned to the JSE prior to Conformance. The client must:

1. Prior to conformance, complete and submit the Conformance Test Report to the JSE confirming the scope of functionality of the software application being tested.
2. The software application functionality must be agreed with the JSE.
3. The client can then update the agreed Conformance Test Report with the self-conformance test results and return this to the JSE as part of their conformance test.

Please refer to Customer Test Documentation Volume 202 – Post-trade system Conformance Test Report for further details.

### 3.8 Conformance Policy

It is mandatory to conform all software applications that clients wish to connect to the production environment. Any changes made to conformed software will result in a mandatory conformance test of the changed software.

In addition, any release of new functionality by the JSE could result in mandatory conformance, however not all releases will require conformance. The JSE will confirm per release if conformance is required.

## 4 CONFORMANCE TEST SCENARIOS

Detailed below are tests that a client must complete successfully to pass a conformance test.

Steps within each given scenario will apply to all type of participants and their solutions interfacing to the Post-trade system.

Execute each step as documented and record the results of the execution in the Conformance Test Report. Clients are responsible for including all relevant accurate information per execution step in the test report. Inaccurate information will result in a failed conformance test.

A unique ClientTXRef needs to be setup for all messages, which allows each request to be linked to its corresponding response. Please refer to [PT01 – Post-trade EMAPI Common](#), section 4.1.1 Setting a unique ClientTxRef.

If the result of an execution step does not match the expected result, document the actual result attained in the Conformance Test Report and provide all relevant information to uniquely identify the execution step. E.g. Trading member ID, Trading User ID, Interface User ID, Trader Group, Trader, Instrument ID etc.

#### 4.1 **Do not disconnect or logoff between each step of the execution unless instructed to do so in the execution test. Failure to comply with this requirement will result in a failed conformance test. High Level Conformance Test**

High Level Breakdown		
Code	Conformance	Comments
<b>ADM</b>	<b>Admin Functions</b>	
ADM1	Password Maintenance	
ADM2	Logon & Logout	
<b>IS&amp;RS</b>	<b>Information Subscription &amp; Replay Requests</b>	
IS1	Information Subscription Requests	<ul style="list-style-type: none"> <li>• Public Global Reference Data Flow</li> <li>• Account Event Flow</li> <li>• Risk Event Flow</li> <li>• Give Up Event Flow</li> <li>• Settlement Event Flow</li> <li>• Market Data Event Flow</li> </ul>
IS2	Manage Information Subscriptions	
RS3	Replay Service – Replay Requests	
<b>MM1</b>	<b>Reference Data Maintenance</b>	
MM1	Member Maintained – Reference Data	
<b>RP1</b>	<b>Risk Parameter Maintenance</b>	
RP1	Member Maintained – Risk Parameters	
<b>TM1</b>	<b>Trading Management</b>	
TM1	Trade Management	
<b>PT1</b>	<b>Post-trade Conformance</b>	
PT2	Deal & Position Management	
PT3	Commission Management	
PT4	Collateral Management	
PT5	Clearing Member Balancing	
PT6	Settlement Management	
<b>EH1</b>	<b>Error Handling</b>	
EH1	Error Handling	

## 4.2 Admin Conformance

### 4.2.1 ADM2 001 Admin Functions – Password Maintenance

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
ADM1 001	Post-trade Gateway (RTC) Connect/Logon	Y	Self-Conformance Test
<b>Description:</b> Establish a connection, Logon to the “RTC Post-trade Gateway” and change your password.			
<b>Comment:</b> <b>Note:</b> that it is not required to Logon to RTC in order to change the password.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Issue a <a href="#">ChangePasswordReq</a> request message.	Receive a successful <a href="#">CdResponse</a> message	

### 4.2.2 ADM1 001 Admin – Logon

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
ADM1 001	Post-trade Gateway (RTC) Connect/Logon	Y	Self-Conformance Test
<b>Description:</b> Establish a connection, Logon to the “RTC Post-trade Gateway”.			
<b>Comment:</b> The <a href="#">TaxLogonReq</a> message must be sent immediately after establishing the TCP/IP connection.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Establish a connection and issue a <a href="#">TaxLogonReq</a> request message.	Receive a successful <a href="#">TaxLogonRsp</a> message	

### 4.2.3 ADM1 002 Admin – Logout

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
ADM1 002	Post-trade Gateway (RTC) Connect/Logon	Y	Self-Conformance Test
<b>Description:</b> Logout from the “RTC Post-trade Gateway”.			
<b>Comment:</b> Logout from RTC.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Issue a <a href="#">TaxLogoutReq</a> message, which should terminate the session.	Receive a successful <a href="#">SimpleRsp</a> message	

### 4.3 Information Subscription Conformance

#### 4.3.1 IS1 001 – IS1 006 Information Subscriptions – Request ONLY Current Values

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
IS1 001 IS1 002 IS1 003 IS1 004 IS1 005 IS1 006	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Stay logged in and send a <a href="#">TaxSnapshotSubscribeReq</a> message, to request a current snapshot (requestType =1) for the Event Flow			
<b>Comment:</b>			
The Request Type is <b>ONLY</b> for <u>current</u> values, no future updates should be received for the requested events.			
For some event flows, there may not be data until certain processing has occurred in RTC.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Establish a connection	Successful Logon	
2.	Send a <a href="#">TaxSnapshotSubscribeReq</a> message, for a snapshot of the current Event Flow	Receive a successful <a href="#">TaxSnapshotSubscribeRsp</a> message  <b>THEN</b> <a href="#">TaxStartSnapshot</a> message will be received, followed by the data available on the Event Flow.  When all required reference data has been sent by RTC, a <a href="#">TaxEndSnapshot</a> message should be received.  This message Indicates the end of the transmission.	
4.	Repeat the test for the following Event Flows: <ul style="list-style-type: none"> <li>• PUBLIC_GLOBAL_REFERENCE_DATA_FLOW</li> <li>• ACCOUNT_EVENT_FLOW</li> <li>• RISK_EVENT_FLOW</li> <li>• MARKETDATA_EVENT_FLOW</li> <li>• GIVEUP_EVENT_FLOW</li> <li>• SETTLEMENT_EVENT_FLOW</li> </ul>		

## 4.3.2

**IS1 007 – IS1 012 Information Subscriptions – Request ONLY Future Values**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
IS1 007 IS1 008 IS1 010 IS1 011 IS1 012 IS1 013	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Stay logged in and send a <a href="#">TaxSnapshotSubscribeReq</a> message, to request a snapshot of future updates for the required Event Flow			
<b>Comment:</b> The Request Type is <b>ONLY</b> for <u>future</u> values (requestType=2). The current values are not sent to the client.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Establish a connection	Successful Logon	
2.	Send a <a href="#">TaxSnapshotSubscribeReq</a> message	Receive a successful <a href="#">TaxSnapshotSubscribeRsp</a> message  <b>WHEN</b> an update is made to the relevant data or new data is processed, <b>THE</b> data will be published , on the applicable flow.	
4.	Repeat the test for the following Event Flows: <ul style="list-style-type: none"> <li>• PUBLIC_GLOBAL_REFERENCE_DATA_FLOW</li> <li>• ACCOUNT_EVENT_FLOW</li> <li>• RISK_EVENT_FLOW</li> <li>• MARKETDATA_EVENT_FLOW</li> <li>• GIVEUP_EVENT_FLOW</li> <li>• SETTLEMENT_EVENT_FLOW</li> </ul> Remain logged on.		

#### 4.3.3 IS2 001 Manage Information Subscriptions – Remove Subscription

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
IS2 001	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Remove your Subscription to the " <b>PUBLIC_GLOBAL_REFERENCE_DATA_FLOW</b> " by sending a <a href="#">TaxRemoveSubscriptionReq</a> .			
<b>Comment:</b> Stay <a href="#">logged on</a> to the " RTC Post-trade Gateway",			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">TaxRemoveSubscriptionReq</a> message  Remain Logged <a href="#">ON</a> .	Receive a successful <a href="#">SimpleRsp</a> message	

#### 4.3.4 IS2 003 Manage Information Subscriptions –Current subscription with future updates

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
IS2 003	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Re-Subscribe to the " <b>PUBLIC_GLOBAL_REFERENCE_DATA_FLOW</b> " by sending a <a href="#">TaxSnapshotSubscribeReq</a> , to receive both current & future snapshots, i.e. <a href="#">requestType</a> = "3".			
<b>Comment:</b> The <a href="#">requestType</a> must be "3"; current and future updates should be received for the requested event.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">TaxSnapshotSubscribeReq</a> message	Receive a successful <a href="#">TaxSnapshotSubscribeRsp</a> message  A <a href="#">TaxStartSnapshot</a> message will be received <u>immediately</u> , followed by the requested Reference data ( <b>as well as</b> future updates).  Once all required reference data has been sent by RTC, an <a href="#">TaxEndSnapshot</a> message should be received indicating the end of the transmission.	
3.	Remain Logged <a href="#">ON</a> .	Confirm that both current and future updates were received	

#### 4.3.5 RS1 001 Replay Service – Request NO Future Updates

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>RS1 001</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send Replay Request to request retransmission of a specific events, with <b>NO</b> future updates.			
<b>Comment:</b>			
The <a href="#">Replay Request Type</a> must be “0”, only for events that support a replay.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">TaxReplayReq</a> message	<p>Receive a successful <a href="#">TaxReplayRsp</a></p> <p><b>THEN</b> <a href="#">TaxReplayStartEvent</a> message will be received, followed by the requested events.</p> <p>When all required reference data has been sent by the system, a <a href="#">TaxReplayEndEvent</a> message should be received which indicates the end of the transmission.</p> <p>Confirm that <b>NO</b> future events were replayed, only current.</p>	
Remain Logged <a href="#">ON</a> .			

#### 4.3.6 RS1 002 Replay Service – Specific events

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>RS1 001</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send Replay Request to request retransmission of a specific events, <b>without</b> issuing requests for New Segments (Replay requestType = "1").			
<b>Comment:</b>			
The <a href="#">Replay Request Type</a> must be “1”, only for events that support a replay.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	



1.	Send a <a href="#">TaxReplayReq</a> message	<p>Receive a successful <a href="#">TaxReplayReq</a> message</p> <p><b>WHEN</b> an update is made to the relevant Reference data</p> <p><b>THEN</b> <a href="#">TaxReplayStartEvent</a> message will be received, followed by the requested Reference data.</p> <p>Once all required reference data has been sent by the system, a <a href="#">TaxReplayEndEvent</a> message should be received indicating the end of the transmission.</p>
----	---	---

#### 4.3.7 RS1 003 Replay Service – Specific events

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
RS1 001	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send Replay Request to request retransmission of a specific events, <b>without</b> issuing requests for New Segments (requestType = "2").			
<b>Comment:</b>			
The <a href="#">Replay Request Type</a> must be "2", only for events that support a replay.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">TaxReplayReq</a> message	<p>Receive a successful <a href="#">TaxReplayRsp</a> message</p> <p><b>WHEN</b> an update is made to the relevant Reference data</p> <p><b>THEN</b> <a href="#">TaxReplayStartEvent</a> message will be received, followed by the requested Reference data.</p> <p>Once all required reference data has been sent by the system, a <a href="#">TaxReplayEndEvent</a> message should be received indicating the end of the transmission.</p> <p>Confirm that <b>BOTH</b> future and current updates were replayed.</p>	
	Remain Logged <a href="#">ON</a> .		

## 4.4 Reference Data Maintenance – Member Maintained

### 4.4.1 MM1 001 Ref data Maintenance – Add Member Client (Resident)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
MM1 001	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Add a Resident Member Client</b> .			
<b>Comment:</b>			
Do <u>not</u> <b>Enable</b> the new member client until it has been linked to the correct clearing member, as the <b>Member object</b> will not be published. Ensure that you have subscribed to the Public Global <b>Reference Data Flow</b> to receive future updates ( <b>request type</b> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <b>CdAddRtcMemberClientReq</b> message, for a <b>Resident</b> Member Client	Receive a successful <b>CdAddRtcMemberClientRsp</b> message  Confirm that the <b>Member object</b> did <b>NOT</b> publish with the new Member Client.	
	<p>Send a <b>CdAddRtcMemberClientClearingLinkReq</b> message, to link the <b>Resident</b> Member Client to the required Clearing Member.</p> <p>Send a request to <b>Enable</b> the relevant member client by sending a <b>CdEnableDisableRtcMemberClientReq</b> message.</p>	<p>Confirm that <b>the</b> Member Client is created correctly (and has <u>not</u> yet <b>been</b> enabled)</p> <p>Confirm that Member Client is now enabled, <b>AND</b> that the Member events were received</p> <p>Receive a successful <b>CdResponse</b> Message</p> <p>Receive updates for the following events:</p> <ul style="list-style-type: none"> <li>• Member</li> <li>• AccessGroup</li> <li>• Position Account</li> <li>• Collateral Account</li> <li>• Risk Node</li> </ul>	

### 4.4.2 MM1 002 Ref data Maintenance – Add Member Client (Non-Resident)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
---------------	---------------------	-----------	-----------------------

<b>MM1 002</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Add</b> a <b>Non Resident Member Client</b> .			
<b>Comment:</b>			
Request JSE to <b>enable</b> the new member client after it has been linked to the correct Clearing Member, as the <b>Member object</b> will not be published. Ensure that you have subscribed to the Public Global <b>Reference Data Flow Event_Flow</b> to receive future updates ( <b>request type</b> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <b>CdAddRtcMemberClientReq</b> message, for a <b>Non-Resident</b> Member Client	Receive a successful <b>CdAddRtcMemberClientRsp</b> message  Confirm that the <b>Member object</b> did <b>NOT</b> publish with the new Member Client.	
2. .	Send a ZAR cash account for the Non-Resident Client.  Send a <b>CdAddRtcMemberClientClearingLinkReq</b> message, to link the <b>Non-Resident</b> Member Client to the required Clearing Member.  Request JSE to enable the member client.	Confirm that Member Client is created correctly (and has <u>not</u> yet <b>been</b> enabled)  Confirm that Member Client is now enabled, <b>AND</b> that the Member events were received  Receive updates for the following events:  <ul style="list-style-type: none"> <li>• Member</li> <li>• AccessGroup</li> <li>• Position Account</li> <li>• Collateral Account</li> <li>• Risk Node</li> </ul>	
2.			

#### 4.4.3 MM1 003 - Reference Data Maintenance – Update Member Client

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>MM1 003</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Update</b> the relevant <b>Member Client</b> .			
<b>Comment:</b>			
Send a request to Update one of your existing Member Clients (Resident/Non-Resident), and confirm that the new updates were visible when the Member object is published.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	

1.	Send a <a href="#">CdUpdateRtcMemberClientReq</a> message, with an update to the relevant field/(s).	<p>Receive a successful <a href="#">CdResponse</a> Message</p> <p>Receive updates for the following events:</p> <ul style="list-style-type: none"> <li>• Member</li> </ul> <p>Confirm that the <a href="#">Member object DID</a> publish the relevant updates to the Member Client.</p>
----	--	---

#### 4.4.4 MM1 004 - Reference Data Maintenance – Disable Member Client

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>MM1 004</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Disable</b> the relevant <a href="#">Member Client</a> .			
<b>Comment:</b>			
Send a request to Disable one of your existing Member Clients (Resident/Non-Resident), and confirm that the new updates were visible when the Member object is published.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a request to <b>Disable</b> the relevant member client by sending a, <a href="#">CdEnableDisableRtcMemberClientReq</a> message.	<p>Receive a successful <a href="#">CdResponse</a> Message</p> <p>Receive updates for the following events:</p> <ul style="list-style-type: none"> <li>• Member</li> <li>• Position Account</li> </ul> <p>Confirm that the <a href="#">Member object DID</a> publish with the relevant updates (showing the disabled Member Client).</p>	
2.	<p><a href="#">Enable</a> the Member Client upon completion of this Test Case using the same message (<a href="#">CdEnableDisableRtcMemberClientReq</a> message).</p> <p>Remain Logged <a href="#">ON</a>.</p>	<p>Receive a successful <a href="#">CdResponse</a> Message</p> <p>Receive updates for the following events:</p> <ul style="list-style-type: none"> <li>• Member</li> <li>• Position Account</li> </ul> <p>Confirm that the <a href="#">Member object DID</a> publish with the relevant updates (showing the disabled Member Client).</p> <p>Note: Not required to pass this test case but required as input to subsequent test cases.</p>	

4.4.5 **MM1 005 - Reference Data Maintenance – Add Cash Account**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>MM1 005</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Add</b> the relevant <a href="#">Cash Account</a> .			
<b>Comment:</b>			
Members can <b>ONLY</b> add one <a href="#">Cash Account</a> per currency per client.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdAddCashAccountReq</a> message.	Receive a successful <a href="#">CdResponse</a> Message  Receive the <a href="#">CashAccount</a> reference data entity on the <b>"Public_Global_Reference_Data_Flow"</b> :	

4.4.6 **MM1 006 - Reference Data Maintenance – Update Cash Account**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>MM1 060</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Update</b> the relevant <a href="#">CashAccount</a> .			
<b>Comment:</b>			
The <a href="#">CashAccount</a> reference data entity will be published on the <b>"Public_Global_Reference_Data_Flow"</b> .			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdUpdateCashAccountReq</a> message.	Receive a successful <a href="#">CdResponse</a> Message  Receive the <a href="#">CashAccount</a> reference data entity on the <b>"Public_Global_Reference_Data_Flow"</b> .	

4.4.7 **MM1 007 & MM1 008 - Reference Data Maintenance – Add Sub Account (Member & Client)**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>MM1 007</b> <b>MM1 008</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Add</b> the relevant Sub Account for Client, using the <a href="#">Position Account Request</a> message (Position Account Sub Type: <b>"SUB"</b> ).			
Note: Authorization from the JSE is required before position sub accounts can be created. Please request CTA to enable.			
<b>Comment:</b>			
Ensure that positionAccountSubType=3 ("SUB") is used .			

Activity Steps		
#	Test Step	Expected Result
1.	Send an <a href="#">CdAddRtcPositionAccountReq</a> message, with Position Account Sub Type: "SUB"	Receive a successful <a href="#">CdAddRtcPositionAccountRsp</a> message  Receive the <a href="#">PositionAccount</a> message, which is published on the "Public_Global_Reference_Data_Flow".

#### 4.4.8 MM1 009 - Reference Data Maintenance – Disable Position Account

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
MM1 009	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <b>Disable</b> the relevant <a href="#">Position Account</a> for a Client/Member.			
<b>Comment:</b> Position Accounts cannot be disabled until all positions have been closed out.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdEnableDisableRtcPositionAccountReq</a> message.	Receive a successful <a href="#">CdEnableDisableRtcPositionAccountRsp</a> message  Receive the <a href="#">PositionAccount</a> message, which is published on the "Public_Global_Reference_Data_Flow".	

#### 4.4.9 MM1 010 - Reference Data Maintenance – Enable Position Account

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
MM1 010	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <b>Enable</b> the relevant <a href="#">PositionAccount</a> for a Client/Member.			
<b>Comment:</b>			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdEnableDisableRtcPositionAccountReq</a> message.	Receive a successful <a href="#">CdEnableDisableRtcPositionAccountRsp</a> message  Receive the <a href="#">PositionAccount</a> message, which is published on the "Public_Global_Reference_Data_Flow".	

## 4.5 Risk Parameter Maintenance – Member Maintained

### 4.5.1 RP1 001 Risk Parameter Maintenance – Set Risk Limit for a Trading Member

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
RP1 001	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Set</b> the relevant <a href="#">Risk Limit</a> for <b>Trading Member</b> .			
<b>Comment:</b>			
<p><b>CMs</b> can set a lower value than the global value of their TMs risk nodes.          Ensure that you have subscribed to the PUBLIC_GLOBAL_REFERENCE_DATA_FLOW to receive future updates (<a href="#">request type</a>: 2 or 3)</p>			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdSetTradingMemberRiskLimitReq</a> message, for a <b>Trading Member</b> .	<p>Receive a successful <a href="#">CdResponse</a> message</p> <p>Receive a <a href="#">RiskNode message</a> with the updated risk limit.</p>	

### 4.5.2 RP1 002 Risk Parameter Maintenance – Set Risk Limit for a Client

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
RP1 002	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Set</b> the relevant <a href="#">Risk Limit</a> for <b>Client</b> .			
<b>Comment:</b>			
<p><b>TMs</b> can set higher value than the global value.          Ensure that you have subscribed to the PUBLIC_GLOBAL_REFERENCE_DATA_FLOW to receive future updates (<a href="#">request type</a>: 2 or 3)</p>			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdSetClientRiskLimitReq</a> message, for a <b>Client</b> .	<p>Receive a successful <a href="#">CdResponse</a> message</p> <p>Receive a <a href="#">RiskNode message</a> with the updated risk limit.</p>	

### 4.5.3 RP1 003 Risk Parameter Maintenance – Set Additional Margin Percentage for a Trading Member

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
RP1 003	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <b>Set</b> the relevant <a href="#">Additional Margin Percentage</a> for <b>Trading Member</b> .			

<b>Comment:</b> <b>CMs</b> can set a higher value than the global value on their TMs. Ensure that you have subscribed to the PUBLIC_GLOBAL_REFERENCE_DATA_FLOW to receive future updates ( <a href="#">request type: 2 or 3</a> )		
<b>Activity Steps</b>		
#	Test Step	Expected Result
1.	Send a <a href="#">CdSetTadingMemberAMPercentageReq</a> message, for a <b>Trading Member</b> .	Receive a successful <a href="#">CdResponse</a>  Receive a <a href="#">RiskNode message</a> with the updated Additional Margin Percentage.

#### 4.5.4 RP1 004 Risk Parameter Maintenance – Set Additional Margin Percentage for a Client

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>RP1 004</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <b>Set</b> the relevant <a href="#">Additional Margin Percentage</a> for <b>Client</b> .			
<b>Comment:</b> <b>TMs</b> can set a higher value than the global value. Ensure that you have subscribed to the PUBLIC_GLOBAL_REFERENCE_DATA_FLOW to receive future updates ( <a href="#">request type: 2 or 3</a> )			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdSetClientAMPercentageReq</a> message, for a <b>Client</b> .	Receive a successful <a href="#">CdResponse</a>  Receive a <a href="#">RiskNode message</a> with the updated Additional Margin Percentage.	

#### 4.5.5 RP1 005 Risk Parameter Maintenance – Set Minimum Cash Limit

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>RP1 005</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <b>Set</b> the relevant <a href="#">Minimum Cash Limit</a> for <b>TM/Client</b> .			
<b>Comment:</b> <b>CM &amp; TM</b> can set the minimum limit to be covered in cash within the global. CM sets a higher limit than the clearing house (JSE). TM sets a limit higher than the CM. Ensure that you have subscribed to the PUBLIC_GLOBAL_REFERENCE_DATA_FLOW to receive future updates ( <a href="#">request type: 2 or 3</a> )			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CdSetMinimumZARLimitReq</a> message, for a <b>Trading Member</b> .	Receive a successful <a href="#">CdResponse</a>	



## 4.6 Trade Management

### 4.6.1 TM1 001 Trade Management – Receive confirmation of Trade Cancellation (OFF screen)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
TM1 001	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Receive a confirmation of a trade Cancel via the <a href="#">Account Position Event</a>			
<b>Comment:</b>			
<b>NB NOTE:</b> Ensure that you have trade ID of the trade you are expecting to be cancelled. Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> prior to the trade cancellation ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Receive an <a href="#">Account Position Event</a> message, indicating that the relevant trade was cancelled.	Receive an <a href="#">Account Position Event</a> for the relevant trade	

## 4.7 Deal & Position Management

### 4.7.1 PT1 001 Deal Management – Accumulate Trades

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT1 001	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to accumulate a number of trades into a single trade.			
<b>Comment:</b>			
<b>NB NOTE:</b> Ensure that you have a 2 House Sub account Trades that match. Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <a href="#">AggregateTradesReq</a> message.	Receive a successful <a href="#">AggregateTradesRsp</a> message.  Receive updates on the “ <a href="#">Account_Position_Event</a> ”.	

### 4.7.2 PT1 002 Deal Management – Modify Trade Sub Account

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT1 002	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to modify the Sub Account for a specific Trade.			
<b>Comment:</b>			
Move a Trade from one House Sub account to a House Main account. Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	

1.	Send a <a href="#">ModifyTradeSubAccountReq</a> message.	Receive a successful <a href="#">ModifyTradeSubAccountReq</a> message.  Receive updates the "Account_Position_Event".
----	--	---

#### 4.7.3 PT1 003 Deal Management – Assign Trades

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT1 003	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <a href="#">Assign Trade</a> from one TM to another.			
<b>Comment:</b> <b>NB NOTE:</b> Assign Trade from one TM House Main account to another TM House Main account.  Actioning of the assigned trade must be done within the same day, or the system will remove them. Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> & <a href="#">GiveUp_Event_Flow</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <a href="#">AssignTradesReq</a> message.	Receive a successful <a href="#">ResponseMessage</a> .  Confirm that the trade was <b>NOT</b> margined, as it has not yet been approved.  Initiator and Recipient will receive the "GiveUp_Event_Flow".	

#### 4.7.4 PT1 004 Deal Management – Approve Give Up

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT1 004	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to Approve an assigned or Tripartite Trade.			
<b>Comment:</b> Send a request to Approve an assigned or Tripartite Trade. Ensure that you have subscribed to the <a href="#">Give Up Event</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <a href="#">ApproveGiveUpReq</a> message.	Receive a successful <a href="#">ResponseMessage</a>  Receive the "GiveUp_Event_Flow" & the "Account_Position_Event_Flow".	

#### 4.7.5 PT1 005 Deal Management – Allocate Trade from House Main to Client Main

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT1 005	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <a href="#">Allocate Trade</a> from own account (full or partial) to a client account.			

<b>Comment:</b>		
<b>NB NOTE:</b> Allocate Trade from House Main account to Client Main account.		
Ensure that you have subscribed to the <a href="#">Account Event Flow</a> , to receive future updates ( <a href="#">requestType</a> : 2 or 3).		
<b>Activity Steps</b>		
#	Test Step	Expected Result
1.	Send an <a href="#">AllocateTradeReq</a> message.	Receive a successful <a href="#">AllocateTradeRsp</a> message.  Receive updates post the allocation on the "Account_Position_Event".

4.7.6 **PT1 006 Deal Management – Correct Principal**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 006</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Correct Principal</a> that has been assigned to the wrong Client.			
<b>Comment:</b>			
<b>NB NOTE:</b> Perform the Correct Principal from the Client Main account to the House Sum/Main account.			
Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CorrectPrincipalReq</a> message.	Receive a successful <a href="#">CorrectPrincipalRsp</a> message.  Receive updates post the allocation on the "Account_Position_Event".	

4.7.7 **PT1 007 Deal Management – Allocate Trade from House Sub to Client Main**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 007</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Allocate Trade</a> from own account (full or partial) to a client account.			
<b>Comment:</b>			
<b>NB NOTE:</b> Allocate Trade from House Sub account to Client Main account.			
Ensure that you have subscribed to the <a href="#">Account Event Flow</a> , to receive future updates ( <a href="#">requestType</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <a href="#">AllocateTradeReq</a> message.	Receive a successful <a href="#">AllocateTradeRsp</a> message.  Receive updates on the "Account_Position_Event".	

4.7.8 **PT1 008 Deal Management – Correct Allocation Error**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 008</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <a href="#">Correct an Allocation</a> that has been assigned to the wrong Client.			
<b>Comment:</b> <b>NB NOTE:</b> Perform Correct Allocation Error from Client Main to another Client Main within the same TM.  Please ensure that Test Case PT1 001 <a href="#">Allocate Trade</a> has been successfully completed prior to executing this Test Case. Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> & <a href="#">Trade Position Event</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">CorrectAllocationErrorReq</a> message.	<p>Receive a successful <a href="#">CorrectAllocationErrorRsp</a> message.</p> <p>Receive updates post the allocation on the “<a href="#">Account_Position_Event</a>”.</p>	

4.7.9 **PT1 009 Deal Management – Tripartite Allocation**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 009</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to <a href="#">Tripartite Allocate</a> for another member’s client.			
<b>Comment:</b> <b>NB NOTE:</b> Perform a Tripartite Allocation from one TM’s House Main account to another TM’s Client Main account.  Actioning of the tripartite trade must be done within the same day, or the system will remove them. Ensure that you have subscribed to the <a href="#">GiveUp_Event_Flow</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">TripartiteAllocationReq</a> message.	<p>Receive a successful <a href="#">TripartiteAllocationRsp</a> message.</p> <p>Confirm that Risk was not moved until approval took place.</p> <p>Receive updates on the “<a href="#">GiveUp_Event_Flow</a>”.</p>	

4.7.10 **PT1 010 Deal Management – Cancel Give Up**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 010</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test

<b>Description:</b> Send a request to Cancel assigned or Tripartite Trade.		
<b>Comment:</b> <b>NB NOTE:</b> Ensure that you have a Tripartite Trade in the correct GiveUp State to perform the cancellation.  Send a request to Cancel assigned or Tripartite Trade. Ensure that you have subscribed to the <a href="#">Give Up Event</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).		
<b>Activity Steps</b>		
#	Test Step	Expected Result
1.	Send a <a href="#">CancelGiveUpReq</a> message.	Receive a successful <a href="#">ResponseMessage</a>  Confirm that the recipient of the Give Up Event has a new Event with status in "CANCELLED".  Receive updates on the " <a href="#">GiveUp_Event_Flow</a> ".

#### 4.7.11 PT1 011 Deal Management – Reject Give Up

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT1 011	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to Reject an assigned or Tripartite Trade.			
<b>Comment:</b> <b>NB NOTE:</b> Ensure that you have a Tripartite Trade in the correct GiveUp State to perform the rejection.  Send a request to Reject an assigned or Tripartite Trade. Ensure that you have subscribed to the <a href="#">Give Up Event</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">RejectGiveUpReq</a> message.	Receive a successful <a href="#">ResponseMessage</a>  Receive updates on the " <a href="#">GiveUp_Event_Flow</a> ".	

## 4.8 Position Management

### 4.8.1 PT1 012 Position Management – Modify Position Sub Account

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT1 012	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to modify the Sub Account for a specific Position.			

<b>Comment:</b>		
<b>NB NOTE:</b> Ensure that you have a Trade on the House Main account.		
Move a Position from one set of house accounts to another. Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> & <a href="#">Trade Position Event</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).		
<b>Activity Steps</b>		
#	Test Step	Expected Result
1.	Send a <a href="#">ModifyPositionSubAccountReq</a> message to the <b>House Sub</b> account.	Receive a successful <a href="#">ModifyPositionSubAccountRsp</a> message.  Receive updates on the "Account_Position_Event".

4.8.2 **PT1 013 Position Management – Exercise Option Position**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 013</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request for early exercise of an option position.			
<b>Comment:</b>			
<b>NB NOTE:</b> Ensure that you have an Option Trade.			
Send a request for early exercise of an option position. Ensure that you have subscribed to the <a href="#">Account Event Flow</a> , to receive future updates ( <a href="#">requestType</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <a href="#">ExerciseOptionPositionReq</a> message.	Receive a successful <a href="#">ExerciseOptionPositionRsp</a> message.  Receive updates on the "Account_Position_Event".	

4.8.3 **PT1 014 Position Management – Abandon Option Position**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 014</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to abandon an option position.			
<b>Comment:</b>			
<b>NB NOTE:</b> Ensure that you have an Option Trade.			
Send a request for early exercise of an option position. Ensure that you have subscribed to the <a href="#">Account_Position_Event_Flow</a> , to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	

1.	Send an <a href="#">AbandonOptionPositionReq</a> message.	Receive a successful <a href="#">AbandonOptionPositionRsp</a> message.  Receive updates on the "Account_Position_Event".
----	---	--

## 4.9 Commission Management

### 4.9.1 PT2 001 Commission Management – Submit a commission as initiator of an Assign

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT2 001</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Commission</a> as the <b>Initiator</b> of an Assign.			
<b>Comment:</b>			
This function can be executed by both the TM or Branch and CM on behalf of TM or Branch. Ensure that you have subscribed to the <a href="#">Account_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	<a href="#">Book an Off book trade where an Assign can performed ( House Main)</a>	Trade booked successfully.	
2.	Send an <a href="#">AssignTradesReq</a> message. Please refer to Test Scenario PT1 003 Deal Management-Assign Trades on how to capture an Assign.	Receive a successful <a href="#">ResponseMessage</a> .	
3.	Send an <a href="#">AddCommissionReq</a> message. In the message above the Client Reference and CommissionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EMAPI Clearing</b> -Section 9.3 Commission Management and Appendix B- Commissions.	Receive a successful <a href="#">ResponseMessage for the AddCommissionReq</a>  Receive the <b>CommissionEvent</b> , published on the Account_Event_Flow.	

### 4.9.2 PT2 002 Commission Management – Submit a commission as initiator of a Tripartite

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT2 002</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Commission</a> as the <b>Initiator</b> of a Tripartite.			

<b>Comment:</b>		
This function can be executed by the TM or Branch and CM on behalf of TM or Branch. Ensure that you have subscribed to the <a href="#">Account_Event_Flow</a> to receive future updates ( <b>request type</b> : 2 or 3) before the steps below are executed.		
<b>Activity Steps</b>		
#	Test Step	Expected Result
1.	<a href="#">Book an Off book trade where tripartite allocation can performed (House Main).</a>	Trade booked successfully.
2.	Send a <a href="#">TripartiteAllocationReq</a> message.	Receive a successful <a href="#">TripartiteAllocationRsp</a> message.
3.	Send an <a href="#">AddCommissionReq</a> message. In the message above the Client Reference and CommissionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EAPI Clearing-</b> Section 9.3 Commission Management and Appendix B- Commissions.	Receive a successful <a href="#">ResponseMessage</a>  Receive the <b>CommissionEvent</b> , published on the <a href="#">Account_Event_Flow</a> .

4.9.3 **PT2 003 Commission Management – Submit a commission when executing a trade (OFF screen)**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT2 003</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Commission</a> when executing an <b>OFF</b> screen trade, directly into a Client Account.			
<b>Comment:</b>			
This function can be executed by the TM or Branch and CM on behalf of TM or Branch. Ensure that you have subscribed to the <a href="#">Public_Global_Reference_Data_Flow</a> first to retrieve the reference data and <a href="#">Account_Event_Flow</a> to receive future updates ( <b>request type</b> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1	<a href="#">Book an Off book trade (Client Main)</a>	Trade booked successfully.	



2	<p>Send an <a href="#">AddCommissionReq</a> message.</p> <p>In the message above the Client Reference and CommissionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EMAPI Clearing-</b> Section 9.3 Commission Management and Appendix B- Commissions.</p>	<p>Receive a successful <a href="#">ResponseMessage</a></p> <p>Receive the <b>CommissionEvent</b>, published on the Account_Event_Flow.</p>
---	---	---

#### 4.9.4 PT2 004 Commission Management – Submit a commission when executing a trade (ON screen)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT2 004	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Commission</a> when executing an <b>ON</b> screen trade, directly into a Client Account.			
<b>Comment:</b>			
This function can be executed by the TM or Branch and CM on behalf of TM or Branch. Ensure that you have subscribed to the <a href="#">Public_Global_Reference_Data_Flow</a> first to retrieve the Reference data and <a href="#">Account_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	<a href="#">Book an On book trade (Client Main)</a>	Trade booked successfully.	
2.	<p>Send an <a href="#">AddCommissionReq</a> message.</p> <p>In the message above the Client Reference and CommissionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EMAPI Clearing-</b> Section 9.3 Commission Management and Appendix B- Commissions.</p>	<p>Receive a successful <a href="#">ResponseMessage</a></p> <p>Receive the <b>CommissionEvent</b>, published on the Account_Event_Flow.</p>	

#### 4.9.5 PT2 005 Commission Management – Cancel Commission

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT2 005	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Cancel Commission</a> assigned to the <b>Initiating</b> TM.			
<b>Comment:</b>			
The Initiating TM or branch or CM on behalf of initiating TM or Branch can perform a cancellation on an “Add Commission” request sent within the same business day. Ensure that you have subscribed to the <a href="#">Account_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3) before the steps below are executed.			

Activity Steps		
#	Test Step	Expected Result
1.	<a href="#">Book an Off book trade (Client Main)</a>	Trade booked successfully.
2.	Send an <a href="#">AddCommissionReq</a> message. In the message above the Client Reference and CommissionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EMAPI Clearing-</b> Section 9.3 Commission Management and Appendix B- Commissions.	Receive a successful <a href="#">ResponseMessage</a>  Receive the <b>CommissionEvent</b> , published on the Account_Event_Flow.
3.	Send a <a href="#">CancelCommissionReq</a> message.	Receive a successful <a href="#">ResponseMessage</a>  Receive the <b>CommissionEvent</b> , published on the Account_Event_Flow.

#### 4.9.6 PT2 006 Commission Management – Reject Commission

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT2 006</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Reject Commission</a> assigned to the <b>Initiating</b> TM.			
<b>Comment:</b>			
The Destination TM or Branch or <b>CM</b> on behalf of destination TM or Branch can reject an “Add Commission” request sent by the Initiator within the same business day. Ensure that you have subscribed to the <a href="#">Account_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1	Ensure that there is an existing new Commission to reject. This can be arranged with JSE prior to the conformance test.		
2	Send a <a href="#">RejectCommissionReq</a> message.	Receive a successful <a href="#">ResponseMessage</a>  Receive the <b>CommissionEvent</b> , published on the Account_Event_Flow.	

4.9.7 **PT2 007 Commission Management – Submit a commission as initiator of an Allocation**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT2 007</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Commission</a> as the <b>Initiator</b> of an Allocation.			
<b>Comment:</b>			
This function can be executed by the TM, <b>Branch and CM</b> on behalf of TM or Branch. Ensure that you have subscribed to the Public _Global_ Reference _Data_ Flow first to retrieve the Reference Data and <a href="#">Account_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	<a href="#">Book an Off book trade (House Sub)</a>	Trade booked successfully.	
2.	Send an <a href="#">AllocateTradeReq</a> message.	Receive a successful <a href="#">AllocateTradeRsp</a> message.  Receive updates post the allocation on the “ <b>Account_Position_Event</b> ”.	
3.	Send an <a href="#">AddCommissionReq</a> message.  In the message above the Client Reference and CommissionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EMAPI Clearing- Section 9.3 Commission Management and Appendix B- Commissions.</b>	Receive a successful <a href="#">ResponseMessage</a>  Receive the <b>CommissionEvent</b> , published on the <a href="#">Account_Event_Flow</a> .	

4.9.8 **PT2 008 Commission Management – Submit a commission as initiator of an Allocation Correction**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT2 008</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Commission</a> as the <b>Initiator</b> of Allocation Correction.			
<b>Comment:</b>			
This function can be executed by the TM, <b>Branch and CM</b> on behalf of TM or Branch. Ensure that you have subscribed to the Public _Global_ Reference _Data_ Flow first to retrieve the Reference data and <a href="#">Account_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	

1.	Book an Off book trade (Client Main)	Trade booked successfully.
2.	Send a <a href="#">CorrectAllocationErrorReq</a> message.	Receive a successful <a href="#">CorrectAllocationErrorRsp</a> message. Receive updates post the allocation on the "Account_Position_Event".
3.	Send an <a href="#">AddCommissionReq</a> message. In the message above the Client Reference and CommisionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EMAPI Clearing-</b> Section 9.3 Commission Management and Appendix B- Commissions.	Receive a successful <a href="#">ResponseMessage</a> Receive the <b>CommissionEvent</b> , published on the Account_Event_Flow.

4.9.9 **PT2 009 Commission Management – Commission charged to counterparty for reported trade.**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT2 009</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Commission</a> to counterparty for reported trade.			
<b>Comment:</b>			
This function can be executed by the TM, Branch and CM on behalf of TM or Branch. Ensure that you have subscribed to the <a href="#">Account_Event_Flow</a> to receive future updates ( <b>request type:</b> 2 or 3) before the steps below are executed.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Book reported (Off book) trade on own client account where the counterparty member is another TM/ Branch.	Trade booked successfully.	
2.	Send an <a href="#">AddCommissionReq</a> message. In the message above the Client Reference and CommisionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EMAPI Clearing-</b> Section 9.3 Commission Management and Appendix B- Commissions.	Receive a successful <a href="#">ResponseMessage</a> Receive the <b>CommissionEvent</b> , published on the Account_Event_Flow.	

4.9.10 **PT2 010 Commission Management –Adhoc Commission**

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
---------------	---------------------	-----------	-----------------------

<b>PT2 010</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to <a href="#">Add Adhoc Commission</a>			
<b>Comment:</b>			
This function can be executed by the TM, Branch and CM on behalf of TM or Branch. Ensure that you have subscribed to the <a href="#">Account_Event_Flow</a> to receive future updates ( <b>request type: 2 or 3</b> ) before the steps below are executed. Adhoc commissions are commission entries which do not require a reference to a specific deal. They can be used for bulk commissions i.e. a commission charged to a client for execution of multiple trades or to affect a commission adjustment for an erroneous commission from a previous day.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send an <a href="#">AddCommissionReq</a> message.  In the message above the Client Reference and CommissionReference fields must be populated as per the guidance provided in <b>Volume PT02 – Post-Trade EAPI Clearing- Section 9.3 Commission Management and Appendix B- Commissions.</b>  This scenario is to test where the CommissionReference field is left blank.	Receive a successful <a href="#">ResponseMessage</a>  Receive the <b>CommissionEvent</b> , published on the <a href="#">Account_Event_Flow</a> .	

## 4.10 Collateral Management

### 4.10.1 PT3 001 Collateral Management – Retrieve Allowed ZAR

#### IMPORTANT NOTE:

The JSE will be facilitating the conformance testing of collateral process with CLEARING MEMBERS by using a predetermined member client authorised for securities and FOREX collateral. This client will be loaded as part of a trading member under the control of the JSE conformance test team. Details of this setup will be made available to Clearing Members leading up to their conformance test slot.

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT3 001</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to Retrieve the ZAR amount for the allowed <a href="#">FX Collateral</a> a Member can give to cover collateral.			
<b>Comment:</b>			
Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow &amp; Account_Position_Event_Flow</a> to receive future updates ( <b>request type: 2 or 3</b> ).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Listen for the <a href="#">ReadyConfirmAvailableFXEvent</a> message which will be published at the end of the day.	Sent via the <a href="#">Settlement_Event_Flow</a> message	

2.	Send a <a href="#">GetRequestsForFXCollateralReq</a> message.	<p>Receive a successful <a href="#">GetRequestsForFXCollateralRsp</a> message, which will include an array of the collateral amounts</p> <p>Receive updates on the “<a href="#">Account_Position_Event</a>”.</p>
----	---	--

#### 4.10.2 PT3 002 Collateral Management – Retrieve Allowed ZAR

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT3 002</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to Register the <a href="#">FX Collateral</a> amount for each Member/Client.			
<b>Comment:</b>			
Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow &amp; Account_Position_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">RegisterFXCollateralReq</a> message.	<p>Receive a successful <a href="#">RegisterFXCollateralRsp</a> message, which will include an array of the collateral amounts</p> <p>Receive the “<a href="#">Account_Position_Event_Flow</a>”.</p>	

#### 4.10.3 PT3 003 Collateral Management – Retrieve withdrawals (Intraday)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT3 003</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to retrieve all withdrawals that require confirmation (intraday).			
<b>Comment:</b>			
Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow &amp; Account_Position_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Listen for the <a href="#">WithdrawalNotificationEvent</a> message which will be published intra-day.	Sent via the <a href="#">Settlement_Event_Flow</a> message	
2.	Send a <a href="#">GetPaymentAdvicesReq</a> message.	<p>Receive a successful <a href="#">GetPaymentAdvicesRsp</a> message, which will be “paged” which indicates whether or not there is more requests that need to be retrieved.</p> <p>Receive the “<a href="#">Account_Position_Event_Flow</a>”.</p>	

#### 4.10.4 PT3 004 Collateral Management – Confirm/Reject one or more withdrawals (Intraday)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT3 004</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to confirm or reject <b>one or more</b> withdrawals (intraday).			
<b>Comment:</b> Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow</a> & <a href="#">Account_Position_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">ConfirmWithdrawalsReq</a> message, which includes the list of withdrawals that have been “Confirmed”/”Rejected”.	Receive a successful <a href="#">ResponseMessage</a>  Receive the “Account_Position_Event_Flow”.	

#### 4.10.5 PT3 005 Collateral Management – Confirm/Reject ALL withdrawals (Intraday)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT3 005</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to confirm or reject <b>ALL</b> withdrawals (intraday).			
<b>Comment:</b> Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow</a> & <a href="#">Account_Position_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">ConfirmWithdrawalsReq</a> message, which includes the list of withdrawals that have been “Confirmed”/”Rejected”.	Receive a successful <a href="#">ResponseMessage</a>  Receive the “Account_Position_Event_Flow”.	

### 4.11 Clearing Member Balancing

#### 4.11.1 PT4 001 CM Balancing – CM1 – Confirm Balance (End of Day)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT4 001</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b> Send a request to whether or not the CM balanced for the Cm Balancing1 Event (End of Day).			
<b>Comment:</b> Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			

Activity Steps		
#	Test Step	Expected Result
1.	Listen for the <a href="#">CmBalancing1Event</a> message which will be published at the end of the day.	Sent via the <a href="#">Settlement_Event_Flow</a> message  Containing the <a href="#">MemberBalance1</a> message, which provides a summary list per TM.
2.	Send a <a href="#">SetCmBalancingStatusReq</a> message, to confirm the balanced Field indicates ("True"/"False").	Receive a successful <a href="#">SetCmBalancingStatusRsp</a> message.

#### 4.11.2 PT4 002 CM Balancing – CM2 – Confirm Balance (End of Day)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT4 002	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to whether or not the CM balanced for the Cm Balancing2 Event (End of Day).			
<b>Comment:</b>			
Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Listen for the <a href="#">CmBalancing2Event</a> message which will be published at the end of the day.	Sent via the <a href="#">Settlement_Event_Flow</a> message  Containing the <a href="#">MemberBalance2</a> message, which provides a summary list per TM.	
2.	Send a <a href="#">SetCmBalancingStatusReq</a> message, to confirm the balanced Field indicates ("True"/"False").	Receive a successful <a href="#">SetCmBalancingStatusRsp</a> message.	

## 4.12 Settlement Management

#### 4.12.1 PT5 001 Settlement Management – Retrieve Settlement Instructions (ZAR/FX)

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
PT5 001	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to retrieve the relevant settlement instructions (ZAR/FX).			
<b>Comment:</b>			
Ensure that you have subscribed to the <a href="#">Settlement_Event_Flow</a> to receive future updates ( <a href="#">request type</a> : 2 or 3).			
<b>Activity Steps</b>			
#	Test Step	Expected Result	



1.	Listen for the <a href="#">AggregatedSummaryClearingMemberEvent</a> & <a href="#">AggregatedSummaryTradingMemberEvent</a> events.	Sent via the <a href="#">Settlement_Event_Flow</a> message  Confirm that the subscription group is the same as the <a href="#">Account Event Flow</a>
2.	Send a <a href="#">GetSettlementInstructionsReq</a> message, which will be in "PENDING" status until it's been confirmed.	Receive a successful <a href="#">GetSettlementInstructionsRsp</a> message.

## Error Handling

### 4.12.2 EH1 001 Logon – Suspension/Un-Suspension

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Supported Test	/
<b>EH1 001</b>	Post-trade Gateway (RTC)	Y	Supported Test	
<b>Description:</b>				
Verify Logon after suspension or un-suspension of Interface User ID.				
<b>Comment:</b>				
Call Customer Support to book time for executing this test with a CTA.				
<b>Activity Steps</b>				
#	Test Step	Expected Result		
1.	Remain logged in to all interfaces/services where applicable  Request CTA to suspend Interface User ID (Comp ID)	Interface User ID (Comp ID) suspended		
2.	Establish a connection and Logon to the applicable Gateway(s).	Logon(s) rejected.		
3.	Record the details of the <a href="#">TaxLogonReq</a> failure in the Conformance Test Report	Interface User ID (Comp ID) Error Response received		
4.	Terminate all client connections.  Request CTA to un-suspend Interface User ID (Comp ID)	Interface User ID (Comp ID) un-suspended		
5.	Establish a connection and Logon to the applicable Gateway(s).	Logon(s) successful.		
6.	Record the details of the <a href="#">TaxLogonReq</a> success Conformance Test Report	Interface User ID (Comp ID)		

### 4.12.3 EH1 003 Allocate to invalid account

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Supported Test	/
<b>EH1 003</b>	Post-trade Gateway (RTC)	Y	Supported Test	
<b>Description:</b>				
User attempts to allocate a trade to an account that is either inactive / invalid (to the Risk Node e.g. "HOUSE" instead of the actual account).				

<b>Comment:</b>		
<b>NB NOTE:</b> Ensure that you have a Trade on the House Main account, and allocate to an invalid account e.g. House Sub account. This test case is applicable if it can be supported by a client. I.e. the client is able to disable client initiated messages. This test is mandatory unless agreed with the JSE.		
<b>Activity Steps</b>		
#	Test Step	Expected Result
1.	Establish a connection and <b>Logon</b> using the <b>TaxLogonReq</b> to the applicable Gateway.	Successful <b>TaxLogonRsp</b> .
2.	Attempt to <b>Allocate Trade</b> to an invalid account using the <b>AllocateTradeReq</b> message, (either to HOUSE account or to an account that has been suspended).	Receive a <b>ResponseMessage</b> with the relevant error code.

#### 4.12.4 EH1 004 Incorrect System State

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Supported Test
<b>EH1 004</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
User attempts to send CM Balance message, while the system is in a state of "OPEN"			
This is a Self-Conformance Test Case, therefore no JSE assistance required here.			
<b>Comment:</b>			
This test case is applicable if it can be supported by a client. I.e. the client is able to disable client initiated messages. This test is mandatory unless agreed with the JSE.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Establish a connection and <b>Logon</b> to the applicable Gateway.	Successful <b>Logon</b> .	
2.	Attempt to send a <b>CM Balance</b> when the system is in an "OPEN" state.	Receive a <b>ResponseMessage</b> with the relevant error code.	

### 4.13 Optional Test Cases

#### 4.13.1 PT1 015 Deal Management – Query Trades

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>PT1 015</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to query trades from previous days.			
<b>Comment:</b>			
Send a request to query trades from previous days. If the "has More" flag has been set in the response, the request must be resubmitted as there are too many records being returned.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	

1.	Send a <a href="#">QueryTradesReq</a> message.	Receive a successful <a href="#">QueryTradesRsp</a> message
----	--	---

#### 4.13.2 RP1 006 Risk Management – Get Risk Array

Test Case ID:	Gateway Description	Mandatory	Self-Conformance Test
<b>RP1 006</b>	Post-trade Gateway (RTC)	Y	Self-Conformance Test
<b>Description:</b>			
Send a request to query trades from previous days.			
<b>Comment:</b>			
Send a request to query trades from previous days. If the “has More” flag has been set in the response, the request must be resubmitted as there are too many records being returned.			
<b>Activity Steps</b>			
#	Test Step	Expected Result	
1.	Send a <a href="#">GetRiskArrayReq</a> message.	Receive a successful <a href="#">GetRiskArrayRsp</a> message	